



THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS.



an INFINIT® brand

TITLE

⊳	SIZE	ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.	. X = ±.2 .XX = ±.02 .XXX = ±.00	
3	CAGE CODE		TOLERANCES:  X = ±.2 [5.08] FRAC  XX = ±.02 [.5.1] ±:  CXX = ±.005[.13] ANGL	; !
3FKR5			X=±2 [5.08] FRACTIONS XX=±.02 [.51] ± 1.02 XXX=±.005[.13] ANGLES±1	DIMENSIONS
DZINN	DRAWN BY		CABLE LENGTH (L) TOLERANGES  L < 12 [305] < 1-26 (1524] + 2-[51] /  12 [305] < 1-26 (1524] + 2-[51] /  60 [1524] < 1-2 (130 [3048] + 4 [102])  120 [3048] < 1-2 (300 [7620] + 6 [152])  300 [7620] < 1-25 (152)	DIMENSIONS IN [] ARE MILLIMETERS
FM-F086HF-FT	ITEM NO.	NCE ONLY.	CABLE LENGTH (L.) TOLERANCES:  L ≤ 12 [306] = +1 [25] / 0  12 [305] < L ≤ 60 (1524] = +2 [51] / 0  60 [1524] < L ≤ 120 [3048] = +4 [102] / 0  120 [3048] < L ≤ 300 [7620] = +6 [152] / 0  300 [7620] < L = +5%L / 0	
		SCALE N/A	THE INFORMATION AND DESIGN IN THIS DOCUMENT IS THE REPORT OF FAIRNEEM MICROWAVE CORPORATION ALL RIGHTS RESERVED.  SHEET  1  OF  1	_ _
⊳	REV		OF	4\