
AGANWANI	03/31/2022	INITIAL RELEASE	Α
APPROVED	DATE	DESCRIPTION	REV.
		REVISIONS	



SMA MALE

MMCX PLUG

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES



Ë

⊳	SIZE		X=±.2 [5.08] FRACTIONS XX=±.02 [.51] ± 1/32 XXX=±.005[.13] ANGLES±1°				1
aμ	CAGE CODE	ALL DIN				TOLERANCES:	
3FKR5	MENSIONS SHO		FRACTIONS ± 1/32 ANGLES ± 1°			NCES:	DIMENSIONS
K.GLEBOVA	DRAWN BY	ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.	L ≤ 12 [305] = +1 [25] / 0 12 [305] < L ≤ 60 [1524] = +2 [51] / 0 60 [1524] < L ≤ 120 [3048] = +4 [102] / 0 120 [3048] < L ≤ 300 [7820] = +6 [182] / 0 300 [7820] < L = +5%L / 0			CABLE LENGTH (L) TOLERANCES:	DIMENSIONS IN [] ARE MILLIMETERS
FMAD1306	ITEM NO.	NCE ONLY.				(L) TOLERANCES:	0
)1306		SCALE N	THE INFORMATION AND DESIGN IN THIS DOCUMENT IS THE PROPERTY OF FAIRNEM MICROWAVE CORPORATION ALL RIGHTS RESERVED. SHEET 1 THE INFORMATION AND THE PROPERTY OF THE PROPERTY				
⊳	REV	N/A)F 1	TION AND DOCUMENT ERTY OF CORPORATION. ESERVED. OF			