


	Þ	REV.		
	INITIAL RELEASE	DESCRIPTION	REVISIONS	
	05/19/2022	DATE	•	
	SPONG	APPROVED		







THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES



TITLE

P		Š	× × × × × × × × × × × × × × × × × × ×	× = + 3		Ç
CAGE CODE	ALL DIN	-	$XX = \pm .15$ [3.81] $XX = \pm .005$ [13.]		TOLER	
3FKR5	ENSIONS	X=±2 [5.08] FRACTIONS XX=±.15 [3.81] ± 1/32 XXX=±.005[.13] ANGLES±1			TOLERANCES:	DIMENSIC
D p	MOHS	_		<u> </u>		NS IN
PSRINIVAS	ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY	120 [3048] < L ≤ 3	60 [1524] < L ≤ 1		CABLE LENGTH (L) TOLERANCES:	DIMENSIONS IN [] ARE MILLIMETERS
	RENCE ONLY.	L ≤ 12 [305] = 14 [25] / 0 12 [305] < L ≤ 60 [1524] = +2 [51] / -0 60 [1524] < L ≤ 120 [3048] = +4 [102] / -0 120 [3048] < L ≤ 300 [7620] = +6 [162] / -0 300 [7620] < L = +5%L / -0 N ARE FOR REFERENCE ONLY.				DIMENSIONS IN [] ARE MILLIMETERS
7442-	SCALE	SHEET	FAIRVIE	D		
0			W MICROWAVE CORPOR	DESIGN IN THIS DOCUMENT IS THE PROPERTY OF	THE INFORMATION AND	
REV	N/A	유	WAVE CO TS RESER	<u></u>		
> >		<u></u>	FAIRVIEW MICROWAVE CORPORATION. ALL RIGHTS RESERVED.	OF	AND .	
		•				