

1.122 [28.50]

1.51 [38.3]


•

1.040 [26.42]

-∰-

•

1.51 [38.3]



## NOTES:

1. LABEL PER ILS-100-05 (FOR INTERNAL REFERENCE ONLY) LABEL LOCATION FOR REFERENCE ONLY

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.



TITLE

an INFINIT® brand

Ç	SIZE		,	× , .			
	ZE CAGE CODE	ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.	1000	.XX = ±.02 [.51] ± 1/32 .XX = ±.005[.13] ANGLES ± 1/32	X = + 2 FS OR1 FRACTIONS	TOLERANCES:	UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS
DZINN	DRAWN BY		_	12 [305] < L ≤ 12 60 [1524] < L ≤ 120		CABLE LENGTH (L) TOLERANCES	WISE SPECIFIED LEADING DIMENSIO
FMWAN075-15	ITEM NO.	NCE ONLY.	L ≤ 12 [965] = +1 [25] / 0 12 [305] < L 50 (1524] = +2 [51] / -0 60 [1524] < L ≤ 120 [3048] = +4 [102] / -0 120 [3048] < L ≤ 300 [7620] = +6 [152] / -0 300 [7620] < L = +5%L / -0			L) TOLERANCES:	ONS ARE INCHES
	NEV.	SCALE N/A	SHEET 1 OF	THED-ANGLE PROJECTION  THE INFORMATION AND BESIGN IN THIS DOCUMENT IS THE PROPERTY OF FAIRVIEW MICROWAVE CORPORATION ALL RIGHTS RESERVED.			
>			_	PORATION. VED.	MENT	5	TION