

# RP SMA Jack Commercial Grade PCB Connector .032 inch End Launch Solder Attachment



## **FMCN5188**

#### Configuration

- · SMA Jack Reverse Polarity Connector
- 50 Ohms
- · Straight Body Geometry

### **Features**

- · Operating Frequency of 18 GHz Max.
- Reverse Polarity

## **Applications**

· General Purpose Test

- · Connector Interface Types: .032 inch End Launch
- · Commercial Grade Design
- Gold over Nickel over Copper Plated Brass Contact
- PCB Applications

### Description

RP SMA Jack Commercial Grade Connector Solder Attachment for .032 inch End Launch Cable, part number FMCN5188, from Fairview Microwave is in-stock and ships same day. Our reverse polarity jack configuration uses a jack connector body with an inner contact pin. This SMA jack connector operates up to a maximum frequency of 18 GHz.

Fairview's RP SMA jack connector FMCN5188 datasheet specifications and outline drawing are shown in this PDF below. Our extensive offering of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. From providing an I/O for a board design to creating a custom cable assembly configuration, Fairview Microwave has a connector solution to meet your needs. Fairview Microwave also has the expertise to build your custom cable assemblies for you and ship them same-day.

### **Electrical Specifications**

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		18	GHz
Impedance		50		Ohms

## **Mechanical Specifications**

Size

 Length
 0.52 in [13.21 mm]

 Width
 0.25 in [6.35 mm]

 Height
 0.25 in [6.35 mm]

 Weight
 0.02 lbs [9.07 g]

## **Material Specifications**

Description	Material	Plating
Contact	Brass	Gold over Nickel over Copper
Insulation	PTFE	
Body	Brass	Gold over Nickel over Copper



# RP SMA Jack Commercial Grade PCB Connector .032 inch End Launch Solder Attachment



## **FMCN5188**

## **Environmental Specifications**

**Temperature** 

Compliance Certifications (see product page for current document)

#### **Plotted and Other Data**

Notes:

RP SMA Jack Commercial Grade PCB Connector .032 inch End Launch Solder Attachment from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Lewisville, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: RP SMA Jack Commercial Grade PCB Connector .032 inch End Launch Solder Attachment FMCN5188

URL: https://www.fairviewmicrowave.com/sma-jack-reverse-polarity-.032-end-launch-pcb-connector-fmcn5188-p.aspx

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume liability arising out of the use of any part or document.

