

SM5574 DATA SHEET

N Female to QMA Male Adapter

Type N female to QMA male adapter part number SM5574 from Fairview Microwave is in-stock and ships same day. This Fairview type N to QMA adapter has a female to male gender configuration. SM5574 type N female to QMA male adapter operates to 6 GHz. The Fairview Microwave RF adapter provides excellent VSWR of 1.2:1 maximum.

RF adapters can be used to enable connections between two connector types that would otherwise not mate. Certain RF adapter configurations can also be used to protect connectors on expensive equipment where the number of connect and disconnect cycles is high. An RF, microwave, or millimeter wave adapter is connected to the equipment and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Fairview Microwave also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications

Description	Min	Тур	Max	Units
Frequency Range	DC		6	GHz
VSWR			1.2:1	
Operating Voltage (AC)			335	Vrms

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

C	i,	_

JIZC	
Length	1.346 in [34.19 mm]
Width	0.374 in [9.5 mm]
Weight	0.071 lbs [32.21 g]

Description	Connector 1	Connector 2	
Туре	N Female	QMA Male	
Polarity	Standard	Standard	
Interface Specification	MIL-STD-348A	MIL-STD-348A	
Mating Cycles	500		



Configuration:

- N Female Connector 1
- QMA Male Connector 2
- 50 Ohms
- Straight Body Geometry

Features:

- VSWR of 1.2:1 max up to 6 GHz
- N interface meets MIL-STD-348A
- QMA interface meets MIL-STD-348A
- 30 µin minimum contact plating
- Gold Plated Beryllium Copper Contact

Applications:

- Enables Between Series Connections
- General Purpose Test

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





Material Specifications

Description	Connector 1	Connector 2		
Туре	N Female	QMA Male		
Contact Material	Beryllium Copper	Beryllium Copper		
Contact Plating	Gold Gold			
Contact Plating Spec.	30 µin minimum	30 μin minimum		
Insulation Material	PTFE	PTFE		
Outer Contact Material	Brass			
Outer Contact Plating	Tri-Metal			
Outer Contact Plating Spec.	80 µin minimum			
Body Material		Brass		
Body Plating		Tri-Metal		
Body Plating Spec.		80 µin minimum		

Environmental Specifications

Temperature

Operating Range


-40 to +80 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Typical Performance Data







N Female to QMA Male Adapter from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF ondemand.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order


For additional information on this product, please click the following link: N Female to QMA Male Adapter SM5574

URL: https://www.fairviewmicrowave.com/n-female-qma-male-adapter-sm5574-p.aspx

to implem	ent improvement	s. Fairview	Microw	ave reserves	s the right to	make s	such c	hanges a	as requi	red. Unle	s oth	erwise
stated, al	specifications are	e nominal.	Fairvie	w Microwave	e does not r	nake an	ıy repi	resentati	on or w	arranty re	gardi	ng the
	of the part descr				purpose, an	d Fairvie	ew Mi	crowave	does no	ot assume	any li	ability
arising ou	t of the use of an	y part or do	ocument	tation.								







STANDARD TOLERANCES

.X ±0.2 .XX ±0.1 .XXX ±0.05

*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].						
N Female to QMA Male Adapter	DWG NO CAGE CODE					3FKR5	
	CAD FILE 112415	SHEET	SCALE	≣ N/A	SIZE A	150	