

FMAD1131 **DATA SHEET**


3.5mm Female to Male Thru Calibration Kit **Component for Precision Up to 34 GHz**

3.5mm female to male thru calibration kit component, part number FMAD1131, from Fairview Microwave is in-stock and ships same day. This 3.5mm precision thru circuit can be used for calibration of most vector network analyzers (VNA). cable analyzers or site analyzers. Impedance and VSWR specifications for this 3.5mm thru calibrating component are provided in the datasheet. Precision control of the impedance and electrical length allow for OSLT analyzer calibrations over the complete frequency range of the connector interface provided.

Fairview's 3.5mm thru circuit calibration component FMAD1131 datasheet specifications and outline drawing are shown in this PDF below. Our extensive offering for RF, microwave and millimeter wave components allows designers to configure and customize their test solutions however they like. From calibration kit replacement to SOLT / OSLT VNA calibration, Fairview Microwave has the right calibration kit components to meet your needs and ship them same-day.

Electrical Specifications

Description	Min	٦	Гур	Max	Units
Frequency Range	DC			34	GHz
Impedance			50		Ohms
VSWR				1.08:1	
Electrical Delay			59		ps



Mechanical Specifications

Size Length Width/Diameter Pin Depth

0.84 in [21.34 mm] 0.5 in [12.7 mm] 0 to 0.003 in

3.5mm Female

Beryllium Copper, Gold

Connector 1

Connector Type Body Material and Plating

Connector 2

3.5mm Male **Connector Type** Connector Body Material and Plating Beryllium Copper, Gold

Environmental Specifications



Features:

- Controlled Impedance
- Replaces Damaged Calibrating Kit Components
- Controlled Electrical Length
- Precision Interfaces
- In Stock and Ready to Ship

Applications:

- SOLT or OSLT Calibration
- VNA Calibration
- Device Characterization
- De-embedding
- Replacement Calibration Kits

Fairview Microwave 301 Leora Ln., Suite 100 Lewisville, TX 75056 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

• Values at +25 °C, sea level

3.5mm Female to Male Thru Calibration Kit Component for Precision Up to 34 GHz from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: 3.5mm Female to Male Thru Calibration Kit Component for Precision Up to 34 GHz FMAD1131


URL: https://www.fairviewmicrowave.com/3.5mm-female-calibration-kit-component-thru-34-ghz-fmad1131-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.









FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
3.5mm Female to Male Thru Calibration Kit Component for Precision Up to 34 GHz	dwg no FMAD1131			CAGE CODE 3FKR5		
	CAD FILE 01/24/18	SHEET	SCAL	.E N/A SIZE A	CN2245	

301 Leora Ln., Suite 100, Lewisville, TX 75056 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689

X ±0.2 XX ±0.01