

FMWCA1108 DATA SHEET

WR-62 to SMA Female End Launch Waveguide to Coax Adapter UBR140 with 11.9 GHz to 18 GHz in Brass

The FMWCA1108 is an end launch waveguide to coaxial adapter operating at a frequency range of 11.9 GHz to 18 GHz. This adapter offers a WR-62 waveguide interface size coupled with a precision tolerance UBR140 flange. The FMWCA1108 is constructed of brass and painted gray to ensure durability. The coaxial connector offered by this adapter uses an SMA Female connector.

Configuration

Waveguide Size WR-62
Flange UBR140
RF Connector SMA Female
Body Geometry End Launch

Electrical Specifications

Description	Min	Тур	Max	Units	
Frequency Range	11.9		18	GHz	
VSWR			1.25:1		
Insertion Loss			0.2	dB	
Input Power (CW)			50	Watts	

Mechanical Specifications

 Size

 Length
 1.35 in [34.29 mm]

 Width
 1.31 in [33.27 mm]

 Height
 1.31 in [33.27 mm]

RF ConnectorConnector Type

SMA Female

Waveguide Interface

Waveguide Type WR-62
Flange Type UBR140
Body Material and Plating Brass

Environmental Specifications

Temperature

Operating Range -40 to +70 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

• Values at +25 °C, sea level unless stated otherwise



Features:

- 11.9 to 18 GHz Frequency Range
- WR-62 Waveguide Interface
- UBR140 Flange
- SMA Female RF Interface
- Comprenhensive waveguide offering also include E-Bends, H-Bends, Sections, Filters, Terminations, Couplers, and more.

Applications:

- · Test Benches
- Radar
- Satellite
- · Microwave Radio Systems
- Military and Space
- Communication Systems

Fairview Microwave 301 Leora Ln., Suite 100 Lewisville, TX 75056 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com

sales@fairviewmicrowave.com





WR-62 to SMA Female End Launch Waveguide to Coax Adapter UBR140 with 11.9 GHz to 18 GHz in Brass from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Lewisville, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: WR-62 to SMA Female End Launch Waveguide to Coax Adapter UBR140 with 11.9 GHz to 18 GHz in Brass FMWCA1108

URL: https://www.fairviewmicrowave.com/wr62-sma-female-end-launch-waveguide-coax-adapter-ubr140-fmwca1108-p. aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order

to implem	ent improvements	. Fairview	Microw	ave reserve	s the righ	t to mak	e such	changes	as requ	ired. Unle	ss oth	nerwise
	specifications are											
suitability	of the part describ	bed hereir	for any	/ particular	purpose,	and Fair	view M	icrowave	does n	ot assume	any	liability
arising ou	t of the use of any	part or do	cument	ation.								





